

- [54] COMBINED THERMAL LETTERING AND PAGE LAYOUT PRINTER
- [75] Inventors: Jeffrey J. Ivarson, San Rafael;
Courtney D. Reeser, Mill Valley;
Daniel J. Riley, San Francisco, all of Calif.
- [73] Assignee: Varitronic Systems, Inc.,
Minneapolis, Minn.
- [**] Term: 14 Years
- [21] Appl. No.: 296,535
- [22] Filed: Jan. 12, 1989
- [52] U.S. Cl. D18/13
- [58] Field of Search D18/4, 13; D14/100,
D14/101, 111, 115, 118; 400/613, 613.2-613.4,
691-694; 364/708

[56] References Cited

U.S. PATENT DOCUMENTS			
D. 259,121	5/1981	Bellini	D18/13
D. 270,250	8/1983	Tennant et al.	D18/13
D. 282,082	1/1986	Morishita	D18/13
D. 290,845	7/1987	Yubisui	D14/111
D. 308,360	6/1990	Schaum	D14/115
D. 310,350	9/1990	Horie et al.	D14/100
3,901,372	8/1975	Denley	400/693

4,549,825 10/1985 Fish, III et al. 400/693

FOREIGN PATENT DOCUMENTS

2177348 1/1987 United Kingdom 400/693

OTHER PUBLICATIONS

Brother Personal Electronic Printer Model EP-20 brochure; 3/83.


Primary Examiner—A. Hugo Word
Assistant Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Merchant, Gould, Smith,
Edell, Welter & Schmidt

[57] CLAIM

The ornamental design for a combined thermal lettering and page layout printer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the combined thermal lettering and page layout printer showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan thereof; and
FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 3




FIG. 2

FIG.4





FIG.5






FIG. 6




FIG. 7