

- [54] **BRIEFCASE**
- [75] **Inventor: Raymond W. Young, West Bend, Wis.**
- [73] **Assignee: Amity Leather Products Co., West Bend, Wis.**
- [\*\*] **Term: 14 Years**
- [21] **Appl. No.: 176,395**
- [22] **Filed: Mar. 31, 1988**
- [52] **U.S. Cl. .... D19/26; D3/56**
- [58] **Field of Search .... D3/79, 71, 76, 73, 78, D3/56, 39, 48; 150/152, 111, 147, 113, 131, 101, 117, 104, 105; 190/100, 16, 900, 901, 902, 122, 111, 117, 102, 107; D19/26, 32; 383/907; 206/232, 444, 313; 281/31**

- 3,856,063 12/1974 Dengel ..... 206/444  
 4,639,157 1/1987 Herzfield ..... 281/31  
 4,704,042 11/1987 Eisen et al. .... 150/52 B  
 4,743,049 5/1988 Wiberg ..... 281/17

**OTHER PUBLICATIONS**

Copy of Catalog Number ASI-3590 entitled, "Amity 1981 Specialty and Business Gifts", believed to have been published in 1981.  
 Copy of Catalog entitled, "Rolfs Fall 1985", believed to have been published in the fall of 1985.

*Primary Examiner*—Louis S. Zarfaz  
*Assistant Examiner*—M. N. Pandozzi  
*Attorney, Agent, or Firm*—Fitch, Even, Tabin & Flannery

[57] **CLAIM**


The ornamental design for a briefcase, as shown and described.

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**

- D. 211,069 5/1968 Copen .  
 D. 241,381 9/1976 Garnier ..... 281/31 X  
 D. 242,960 1/1977 Stanley ..... D19/26 X  
 D. 250,855 1/1979 Gotz ..... D19/26 X  
 D. 279,233 6/1985 Feingold et al. .... D3/79 X  
 1,417,854 5/1922 Newton ..... 281/31  
 2,175,327 10/1939 Thornhill et al. .... 150/105 X  
 2,228,457 1/1941 Hoople ..... 150/139  
 2,732,875 1/1956 Martin ..... 150/39  
 2,982,322 5/1961 Seitz ..... 150/139  
 3,187,795 6/1965 Stephenson ..... 150/147  
 3,435,868 4/1969 Stermer ..... 150/147  
 3,454,068 7/1969 Goldstein et al. .... 150/1.6  
 3,565,148 2/1971 Miller ..... 150/147

**DESCRIPTION**

FIG. 1 is a perspective view of a briefcase showing my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a side elevational view thereof, taken from the lefthand side of FIG. 2;  
 FIG. 4 is a side elevational view thereof, taken from the right side of FIG. 2;  
 FIG. 5 is a bottom plan view thereof; the top plan view being a mirror image of the bottom plan view;  
 FIG. 6 is a rear elevational view thereof; and  
 FIG. 7 is a perspective view illustrating the briefcase in an open position to show portions of the interior thereof.






FIG. 1

FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7