

[54] FLASHING DISTRESS SIGNAL FOR VEHICLES WITH PUSH BUTTON ACTIVATOR AND STATUS INDICATOR LIGHT

[76] Inventors: Toxie P. Williams, Jr.; Jill Williams, both of Rte. 3, Box 168-1, Seminary, Miss. 39479

[**] Term: 14 Years

[21] Appl. No.: 195,529

[22] Filed: May 18, 1988

[52] U.S. Cl. D10/114

[58] Field of Search D26/28, 36; D10/114; D20/10; 362/61, 74, 80, 80.1, 80.2, 82, 83, 83.2, 83.3; 340/468, 471, 479

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 254,298 2/1980 Sexton et al. D10/114
- D. 296,087 6/1988 Luck D10/114

- 4,192,090 3/1980 Seth 340/472 X
- 4,607,444 8/1986 Foster 40/591 X
- 4,633,215 12/1986 Anders et al. 340/473

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Jerry T. Kearns

[57] CLAIM

The ornamental design for a flashing distress signal for vehicles with push button activator and status indicator light, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a distress signal showing our new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a left side elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof; and,
 FIG. 7 is a perspective view thereof.
 The license plate supporting the signal is shown in broken lines for illustrative purposes only.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6



Fig. 7