

[54] BATTERY CORROSION ELIMINATOR

[76] Inventor: Henry Lewis, 3636 Sharpe Ave., Memphis, Tenn. 38411

[**] Term: 14 Years

[21] Appl. No.: 126,685

[22] Filed: Nov. 13, 1987

[52] U.S. Cl. D13/119

[58] Field of Search D13/10, 24, 103, 133, D13/119, 150, 156; 439/757, 754; 429/121, 178

[56] References Cited

U.S. PATENT DOCUMENTS

- 2,678,962 5/1954 Jensen 439/754 X
- 4,455,059 6/1984 Theiler 439/754
- 4,761,354 8/1988 Poe et al. 429/121

FOREIGN PATENT DOCUMENTS

- 2246876 4/1973 Fed. Rep. of Germany 429/121
- 2359429 6/1975 Fed. Rep. of Germany 429/121


Primary Examiner—Susan J. Lucas
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Jerry T. Kearns

[57] CLAIM

The ornamental design for a battery corrosion eliminator, as shown and described.

DESCRIPTION

FIG. 1 is a representative side elevational view of a battery corrosion eliminator showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a perspective view thereof; and, FIG. 5 is a transverse cross-sectional view taken along line 5—5 of FIG. 2.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5