

[54] SPHYGMOMANOMETER

[75] Inventors: Hiroshi Sakaguchi; Masaki Kawamura, both of Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 162,343

[22] Filed: Feb. 25, 1988

[30] Foreign Application Priority Data

Aug. 27, 1987 [JP] Japan ..... 62-35005  
 [52] U.S. Cl. .... D24/21  
 [58] Field of Search ..... D24/21, 17, 8; D10/78, D10/75, 106; D9/432; 128/686, 680

[56] References Cited

U.S. PATENT DOCUMENTS

D. 283,915 5/1986 Kosako et al. .... D24/21  
 4,735,213 4/1988 Shirasaki ..... 128/681  
 4,862,895 9/1989 Yamasawa et al. .... 128/686



Primary Examiner—Louis S. Zarfes  
 Assistant Examiner—D'Michèle Berryman  
 Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for a sphygmomanomete, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of a sphygmomanometer showing our new design;  
 FIG. 2 is a rear elevational view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a right side elevational view, the left side elevational view being a mirror image thereof;  
 FIG. 6 is a top plan view thereof with the cover open;  
 FIG. 7 is a front elevational view thereof with the cover open; and  
 FIG. 8 is a right side elevational view thereof with the cover open.







*FIG\_1*




*FIG\_2*




*FIG\_3*




*FIG\_4*




*FIG\_5*



**FIG\_6**



**FIG\_7**



**FIG\_8**