

[54] HOUSING FOR AN ELECTRICAL CONNECTOR

[75] Inventors: Toshiharu Kawashima; Keishi Jinno; Yoshitsugu Sawada, all of Shizuoka, Japan

[73] Assignee: Yazaki Corporation, Japan

[**] Term: 14 Years

[21] Appl. No.: 194,005

[22] Filed: May 13, 1988

[30] Foreign Application Priority Data

Nov. 13, 1987 [JP]	Japan	62-46254
Nov. 13, 1987 [JP]	Japan	62-46255
Nov. 13, 1987 [JP]	Japan	62-46256

[52] U.S. Cl. D13/146

[58] Field of Search D13/133, 146; 439/344, 439/353, 357, 660, 682, 685, 686, 687, 695, 696, 712, 713

[56] References Cited

U.S. PATENT DOCUMENTS

3,605,070	9/1971	Krafthefer	439/357
3,873,172	3/1975	Paullus	439/686 X
4,655,525	4/1987	Hunt, III et al.	439/695 X

OTHER PUBLICATIONS

Yazaki Connector pp. 11 and 115 of Handbook for Wiring Harness Standard Parts.

Primary Examiner—Susan J. Lucas
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Jones, Askew & Lunsford

[57] CLAIM

The ornamental design for a housing for an electrical connector, as shown and described.

DESCRIPTION

FIG. 1 is a top, rear and left side perspective view of a

housing for an electrical connector showing our new design;

FIG. 2 is a bottom, rear and right side perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right elevational view thereof, the left elevational view being a mirror image;

FIG. 7 is a rear elevational view thereof;

FIG. 8 is a cross-section view taken along line 8—8 of FIG. 4;

FIG. 9 is a cross-section view taken along line 9—9 of FIG. 6;

FIG. 10 is a top, rear and left side perspective view of a housing for an electrical connector showing a second embodiment of our new design;

FIG. 11 is a bottom, rear and right side perspective view thereof;

FIG. 12 is a top plan view thereof;

FIG. 13 is a front elevational view thereof;

FIG. 14 is a bottom plan view thereof;

FIG. 15 is a right elevational view thereof, the left elevational view being a mirror image;

FIG. 16 is a rear elevational view thereof;

FIG. 17 is a cross-section view taken along line 17—17 of FIG. 13;

FIG. 18 is a cross-section view taken along line 18—18 of FIG. 15;

FIG. 19 is a top, rear and left side perspective view of a housing for an electrical connector showing a third embodiment of our new design;

FIG. 20 is a bottom, rear, and right side perspective view thereof;

FIG. 21 is a top plan view thereof;

FIG. 22 is a front elevational view thereof;



FIG. 23 is a bottom plan view thereof;

FIG. 24 is a rear elevational view thereof;

FIG. 25 is a right elevational view thereof, the left elevational view being a mirror image;

FIG. 26 is a cross-section view taken along line 26—26 of FIG. 22;

FIG. 27 is a cross-section view taken along line 27—27 of FIG. 25.






Fig. 1




Fig. 2

Fig. 3





Fig. 4




Fig. 5

Fig. 6




Fig. 7





Fig. 8

Fig. 9




Fig. 10





Fig. 11






Fig. 12




Fig. 13




Fig. 15




Fig. 14

Fig. 16






Fig. 17

Fig. 18






Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25

Fig. 26




Fig. 27