

United States Patent [19]

Diehl

[11] Patent Number: **Des. 315,156**

[45] Date of Patent: **** Mar. 5, 1991**

[54] **TELEPHONE WITH DISPLAY AND CARD READER FOR PERSONAL COMPUTER**

[75] Inventor: **Volker Diehl, Neuweiler, Fed. Rep. of Germany**

[73] Assignee: **International Business Machines Corporation, Armonk, N.Y.**

[**] Term: **14 Years**

[21] Appl. No.: **242,454**

[22] Filed: **Sep. 9, 1988**

[30] **Foreign Application Priority Data**

Mar. 11, 1988 [DE] Fed. Rep. of Germany MR 6400

[52] U.S. Cl. **D14/151; D14/144; D14/150; D14/244; 379/357**

[58] Field of Search D14/149, 150, 151, 105, D14/240, 242, 244, 245, 252, 140, 144; 379/165, 357, 146, 91, 164

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 211,253	6/1963	Sundquist et al.	D14/150
D. 227,482	6/1973	Binks	D14/150
D. 233,352	10/1974	Kramer et al.	D14/146
D. 237,091	10/1975	Blumenar	D14/150
D. 244,386	5/1977	Schaum et al.	D14/105
D. 263,589	3/1982	Read	D14/150
D. 276,692	12/1984	Marhsall	D14/150
D. 279,894	7/1985	Marshall	D14/150
D. 283,319	4/1986	Marshall	D14/150
D. 290,605	6/1987	Drew	D14/150
D. 298,325	11/1988	Isozaki et al.	D14/105
D. 300,217	3/1989	Dino	D14/150
3,938,090	10/1976	Borison et al.	379/91 X

4,164,630	8/1979	Brodbeck	379/357 X
4,587,379	5/1986	Masuda	379/91
4,625,276	11/1986	Benton et al.	379/357
4,650,932	3/1987	Komuro et al.	379/16 X
4,680,785	7/1987	Akiyama	379/357 X
4,682,014	7/1987	Iwama	379/357 X
4,782,514	11/1988	Oshikata et al.	379/165
4,815,125	3/1989	De-Ravi	379/357

FOREIGN PATENT DOCUMENTS

0018053	1/1985	Japan	379/267
0043050	3/1986	Japan	379/357
0169054	7/1986	Japan	379/357
0136758	6/1988	Japan	379/357

Primary Examiner—Horace B. Fay, Jr.

Attorney, Agent, or Firm—Richard A. Tomlin

[57] **CLAIM**

The ornamental design for a telephone with display and card reader for personal computer, as shown and described.

DESCRIPTION


FIG. 1 is a top, front perspective view of a telephone with display and card reader for personal computer showing our new display;

FIGS. 2 and 3 are respective front and rear elevational views thereof;

FIGS. 4 and 5 are respective right and left side elevational views thereof; and

FIGS. 6 and 7 are respective top and bottom plan views thereof.

The broken line connections between truncated electric coil ends attached to handset and stand in all figures is to indicate continuity of coil, and for convenience and clarity of illustration.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7