

[54] RECREATIONAL VEHICLE INTERIOR LIGHT FIXTURE

[75] Inventors: David A. Kelley, Springfield; Dan H. Walters, Marshall; James G. Stephenson, Kalamazoo, all of Mich.

[73] Assignee: Progressive Dynamic, Inc., Marshall, Mich.

[\*\*] Term: 14 Years

[21] Appl. No.: 132,046

[22] Filed: Dec. 11, 1987

[52] U.S. Cl. .... D26/28; D26/72

[58] Field of Search ..... D26/28, 29, 72, 74, D26/80-92; 362/61, 329, 74, 80, 336, 330, 331, 275, 372, 269, 268, 362, 364, 432

[56] References Cited

U.S. PATENT DOCUMENTS

D. 150,104	7/1948	Arenberg et al. ....	D26/120
D. 221,351	8/1971	Remington .....	D48/32
1,235,752	8/1917	Ames, Jr. ....	362/329 X
3,792,250	2/1974	Kilbourn et al. ....	240/7.1
4,157,585	6/1979	Freeman .....	362/74 X

FOREIGN PATENT DOCUMENTS

727330	3/1955	United Kingdom .....	362/74
--------	--------	----------------------	--------

OTHER PUBLICATIONS

J. C. Whitney Catalog, #454D, p. 29, Ceiling Light for Vans & RV's.



Primary Examiner—Susan J. Lucas  
Attorney, Agent, or Firm—Beaman & Beaman

[57] CLAIM

The ornamental design for a recreational vehicle interior light fixture, as shown and described.

DESCRIPTION

FIG. 1 is bottom plan view of a recreational vehicle interior light fixture showing our new design;  
 FIG. 2 is a side elevational view thereof as seen from the top of FIG. 1, the opposite side being a mirror image;  
 FIG. 3 is a side elevational view thereof as seen from the right of FIG. 1;  
 FIG. 4 is a bottom plan view of a second embodiment of our new design;  
 FIG. 5 is a side elevational view thereof as seen from the top of FIG. 4, the opposite side being a mirror image;  
 FIG. 6 is a side elevational view of a third embodiment of our new design as seen from the top of FIG. 7, the opposite side being a mirror image;  
 FIG. 7 is a bottom plan view of the third embodiment;  
 FIG. 8 is a side elevational view common to the left side of the first embodiment and to both the left and right sides of the second and third embodiments;  
 FIG. 9 is a bottom perspective view of the third embodiment of our new design;  
 FIG. 10 is a bottom perspective view of the first embodiment of our new design;  
 FIG. 11 is a bottom perspective view of the second embodiment of our new design.






FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 8




FIG 7




FIG 9




FIG 10




FIG 11