

[54] COVER LENS FOR A SURGICAL LIGHT

[75] Inventor: Bruce A. Sanborn, Rochester, N.Y.

[73] Assignee: MDT Corporation, Torrance, Calif.

[\*\*] Term: 14 Years

[21] Appl. No.: 325,465

[22] Filed: Mar. 20, 1989

[52] U.S. Cl. .... D26/123; D26/118

[58] Field of Search ..... D26/118, 120, 121, 122, D26/123, 124, 139; 362/326-340

[56] References Cited

U.S. PATENT DOCUMENTS

D. 51,598	12/1917	Long	.....	D26/123
D. 207,930	6/1967	Kotler	.....	D26/123 X
D. 283,648	4/1986	Magee et al.	.....	D26/139
D. 287,414	12/1986	Giles et al.	.....	D26/139
1,890,130	12/1932	Scardina	.....	362/376
2,143,148	1/1939	Guth	.....	362/326 X
4,545,007	10/1985	Nagel	.....	362/338 X

FOREIGN PATENT DOCUMENTS

349708	6/1937	Italy	.....	362/326
--------	--------	-------	-------	---------

Primary Examiner—Susan J. Lucas  
Attorney, Agent, or Firm—Trask, Britt & Rossa

[57] CLAIM

The ornamental design for a cover lens for a surgical light, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the exterior exposed surface of a cover lens for a surgical light showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front elevational view of the exterior exposed surface of a second embodiment of my new design;

FIG. 8 is a rear elevational view thereof;

FIG. 9 is a left side elevational view thereof;

FIG. 10 is a right side elevational view thereof;


FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a cross-sectional view of the first embodiment as taken along line 13—13 of FIG. 1;

FIG. 14 is a cross-sectional view of the second embodiment as taken along line 14—14 of FIG. 7;

The surface pattern is partially shown on the front and rear surfaces of each embodiment for convenience of illustration, it being understood that the patterns continue uniformly around the surfaces of each embodiment, interrupted only by the mounting apertures.






Fig. 1




Fig. 3



Fig. 4




Fig. 2




Fig. 5



Fig. 6




Fig. 7



Fig. 9



Fig. 10






Fig. 8



Fig. 11



Fig. 12




Fig. 13




Fig. 14