

[54] **COMBINED CONTAINER AND CARRIER WRISTBAND**

[75] **Inventor: Sune Envall, Västerås, Sweden**
[73] **Assignee: Lillemor Reuterskiöld, Stockholm, Sweden**

[**] **Term: 14 Years**

[21] **Appl. No.: 330,097**

[22] **Filed: Mar. 29, 1989**

[30] **Foreign Application Priority Data**

Sep. 29, 1988 [SE] Sweden 88-2209

[52] **U.S. Cl. D3/30.1; D3/100; D9/337**

[58] **Field of Search D3/30.1, 100, 106; D9/369, 337; D10/31; D11/2, 201; D2/614, 629, 630, 699; 224/148, 219, 216, 217, 549; 206/37 R, 38; 2/312**

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|-------------------|------------|
| D. 272,139 | 1/1984 | Boughton | D9/369 X |
| 326,296 | 9/1885 | Johnston | 224/148 |
| 1,851,750 | 3/1932 | Cartuschka | 206/37 R X |
| 2,235,350 | 3/1941 | Anderson | D11/2 X |
| 2,504,738 | 7/1950 | Shields | 224/178 |
| 3,843,032 | 10/1974 | Moran et al. | D3/106 X |



Primary Examiner—B. J. Bullock
Assistant Examiner—C. Tuttle
Attorney, Agent, or Firm—Nilles & Nilles

[57] **CLAIM**

The ornamental design for a combined container and a carrier wristband, as shown.

DESCRIPTION

FIG. 1 is a front side perspective thereof;
FIG. 2 is a bottom side perspective view thereof;
FIG. 3 is a top side perspective view thereof;
FIG. 4 is a rear elevational view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4