

[54] **COMBINED CONTAINER AND CARRIER WRISTBAND**

[75] **Inventor: Sune Envall, Västerås, Sweden**  
[73] **Assignee: Lillemor Reuterskiöld, Stockholm, Sweden**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 330,097**

[22] **Filed: Mar. 29, 1989**

[30] **Foreign Application Priority Data**

Sep. 29, 1988 [SE] Sweden ..... 88-2209

[52] **U.S. Cl. .... D3/30.1; D3/100; D9/337**

[58] **Field of Search .... D3/30.1, 100, 106; D9/369, 337; D10/31; D11/2, 201; D2/614, 629, 630, 699; 224/148, 219, 216, 217, 549; 206/37 R, 38; 2/312**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 272,139	1/1984	Boughton .....	D9/369 X
326,296	9/1885	Johnston .....	224/148
1,851,750	3/1932	Cartuschka .....	206/37 R X
2,235,350	3/1941	Anderson .....	D11/2 X
2,504,738	7/1950	Shields .....	224/178
3,843,032	10/1974	Moran et al. ....	D3/106 X



*Primary Examiner*—B. J. Bullock  
*Assistant Examiner*—C. Tuttle  
*Attorney, Agent, or Firm*—Nilles & Nilles

[57] **CLAIM**

The ornamental design for a combined container and a carrier wristband, as shown.

**DESCRIPTION**

FIG. 1 is a front side perspective thereof;  
FIG. 2 is a bottom side perspective view thereof;  
FIG. 3 is a top side perspective view thereof;  
FIG. 4 is a rear elevational view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4