

[54] HOUSING FOR AN ELECTRONIC BAR CODE READER

4,801,786 1/1989 Stobbe ..... 235/377  
4,841,129 6/1989 Tawara et al. .... 235/472

[76] Inventors: Frederick M. Weaver, 3610  
Columbine Cir., Charlotte, N.C.  
28211; Donna E. Goodner, 3427  
Teversham La., Charlotte, N.C.  
28210

OTHER PUBLICATIONS

Symbol Technologies Inc., 1987—Front of Flyer—LS  
7000 II—Hand Held Laser Scanner.  
Symbol LS 8120II/8125II Solid State Laser Scanner  
with Integrated RS 232C Interface, Publication No. 887  
VA, ©1987 Symbol Technologies, Inc.

[\*\*] Term: 14 Years

Primary Examiner—Wallace R. Burke  
Assistant Examiner—Freda S. Nunn

[21] Appl. No.: 545,337

[22] Filed: Jun. 26, 1990

[57] CLAIM

The ornamental design for a housing for an electronic  
bar code reader, as shown and described.

Related U.S. Application Data

[62] Division of Ser. No. 252,123, Sep. 30, 1988, Pat. No. D.  
311,393.

DESCRIPTION

[52] U.S. Cl. .... D14/116

[58] Field of Search ..... D14/100, 105, 107, 114,  
D14/116; 235/475, 479, 440, 454, 463, 462, 483,  
377, 470-473, 484, 486; 250/203 R, 216, 566,  
568; 354/80-82; 382/58, 59, 62, 63, 65-68

FIG. 1 is a top, front, left side perspective view of a  
housing for an electronic bar code reader showing our  
new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a top, front, left side perspective view of a  
second embodiment of our new design;

FIG. 8 is a front elevational view thereof;

FIG. 9 is a top plan view thereof.

The undisclosed views of the second embodiment are  
similar in appearance to those of the first embodiment.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 248,946	8/1978	Koenig .....	D14/116
D. 297,431	8/1988	Beard et al. ....	D14/116
D. 297,432	8/1988	Stant et al. ....	D14/116
4,335,303	6/1982	Call .....	235/463
4,570,057	2/1986	Chadima, Jr. et al. ....	235/472
4,694,182	9/1987	Howard .....	250/566





