

United States Patent [19]

Takada

[11] Patent Number: Des. 315,453

[45] Date of Patent: ** Mar. 19, 1991

[54] CHILD SAFETY SEAT FOR VEHICLES

[76] Inventor: Juichiro Takada, 3-12-1, Shinmachi, Setagayaku, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 139,040

[22] Filed: Dec. 29, 1987

[30] Foreign Application Priority Data

Apr. 8, 1987 [JP] Japan 62-13410

[52] U.S. Cl. D6/333

[58] Field of Search D6/333, 367, 334

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 265,609 8/1982 Takada .
- D. 278,483 4/1985 Takada .
- D. 286,470 11/1986 Takada .
- D. 287,670 1/1987 Kassai D6/333
- D. 290,429 6/1987 Lemmeyer D6/333
- D. 294,310 2/1988 Wise et al. D6/333

- D. 294,889 3/1988 Nakao et al. D6/333
- D. 305,583 1/1990 Turner et al. D6/333
- D. 306,099 2/1990 Kassai D6/333

Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Ann Hunt
Attorney, Agent, or Firm—Brumbaugh, Graves,
Donohue & Raymond

[57] CLAIM

The ornamental design for a child safety seat for vehicles, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a child safety seat for vehicles showing my new design; FIG. 2 is a front elevational view; FIG. 3 is an elevational view of the left side; FIG. 4 is a rear elevational view; FIG. 5 is a bottom plan view; and FIG. 6 is a side elevational view of the left side, showing the seat adjusted on its base to a reclined position. The right side of the child safety seat not shown is a mirror image of the left side shown in FIGS. 3 and 6.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

