

[54] ELECTRONIC METRONOME

[75] Inventor: Hiroshi Saito, Shiojiri, Japan

[73] Assignee: Seiko Epson Corporation, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 164,376

[22] Filed: Mar. 4, 1988

[30] Foreign Application Priority Data

Sep. 7, 1987 [JP] Japan 62-36470

[52] U.S. Cl. D10/43

[58] Field of Search D10/2, 15, 40, 43; 84/484

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 243,748 3/1977 Krause D10/40
- D. 252,801 9/1979 Usuda D10/15
- D. 253,399 11/1979 Härle D10/43
- D. 257,235 10/1980 Cheung D10/15
- D. 259,862 7/1981 You D10/2

- D. 260,646 9/1981 Akazawa et al. D10/2 X
- D. 263,966 4/1982 Kobayashi D10/2 X
- D. 269,328 6/1983 Cheung D10/15
- D. 279,196 6/1985 Kurozumi et al. D10/2 X
- D. 290,371 6/1987 Slayer et al. D10/15 X
- D. 293,557 11/1988 Bartholomän et al. D10/15 X
- 4,437,381 3/1984 Chen 84/484

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Gary D. Watson
Attorney, Agent, or Firm—Blum Kaplan

[57] CLAIM

The ornamental design for electronic metronome, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an electronic metronome showing my new design;
FIG. 2 is a front elevational view;
FIG. 3 is a left side elevational view;
FIG. 4 is a right side elevational view;
FIG. 5 is a rear elevational view;
FIG. 6 is a bottom plan view; and
FIG. 7 is an enlarged right front perspective view thereof.




FIG. 1




FIG. 3




FIG. 2




FIG. 4





FIG. 5

FIG. 6




FIG. 7

