

[54] CAUTION SIGNAL FOR HAZARDOUS SITUATION

[76] Inventor: Ronald D. Nickolett, 3413 N. Bark Lake Rd., Hubertus, Wis. 53033

[**] Term: 14 Years

[21] Appl. No.: 254,949

[22] Filed: Oct. 7, 1988

[52] U.S. Cl. D10/114; D20/33

[58] Field of Search D10/114; D20/33, 31, D20/32; D21/100; D32/58, 59; 116/28 R; 223/78, 79, 80; 40/538, 586

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 33,839 1/1901 Emerson D20/33
- D. 47,781 9/1915 Carson D20/33
- D. 214,855 8/1969 Rigsby D20/33
- D. 234,583 3/1975 Chrlich D20/33

- D. 253,793 12/1979 Peterson D20/33
- D. 280,743 9/1985 Pregon D20/33
- D. 310,109 8/1990 Vega D20/32
- 4,455,963 6/1984 Matsuo D21/100


Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Foley & Lardner

[57] CLAIM

The ornamental design for a caution signal for hazardous situation, as shown and described.

DESCRIPTION

FIG. 1 is a reduced perspective view of a caution signal for hazardous situation showing my new design; FIG. 2 is a front elevational view, with the rear being a mirror image. FIG. 3 is a top plan view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; and FIG. 6 is a bottom plan view thereof.






FIG. 1




FIG. 3




FIG. 5




FIG. 2




FIG. 4



FIG. 6