

[54] COMBINED SPEAKER AND AMPLIFIER

3,883,195 5/1975 Walker 381/88

[76] Inventor: Tsuyoshi Takagi, Kounoike Kousha
9B-360, 1-5, Aza Shimokuruba,
Kounoike, Itami-Shi, Hyogo-ken,
Japan

[**] Term: 14 Years

[21] Appl. No.: 28,159

[22] Filed: Mar. 18, 1987

[30] Foreign Application Priority Data

Nov. 19, 1986 [JP] Japan 61-45762

[52] U.S. Cl. D14/194; D14/172

[58] Field of Search D14/204-216,
D14/219-224, 172, 185, 162, 188, 194, 195;
312/7.1; 381/24, 86-88, 90, 159, 182, 186, 205;
181/144, 148, 152, 153, 155, 157, 198, 199

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 215,160 9/1969 Warren et al. D14/194
- D. 217,355 4/1970 Shaw et al. D14/162
- D. 239,012 3/1976 Ross D14/195
- D. 240,315 6/1976 Kimbell et al. D14/195

OTHER PUBLICATIONS

Stereo Review, Jul. 1986, p. 126, top right-Nady wire-
less speaker.

High Fidelity, May 1982, p. 67, center-Shure 711 loud-
speaker.

Primary Examiner—Melvin B. Feifer

Assistant Examiner—Theodore M. Shooman

[57] CLAIM

The ornamental design for a combined speaker and
amplifier, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of
a combined speaker and amplifier showing my new
design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a front elevational view thereof with the grill
removed;

FIG. 7 is a left side elevational view thereof; and

FIG. 8 is a rear elevational view thereof.




FIG. 2




FIG. 3





FIG. 1






FIG. 6




FIG. 5




FIG. 4




FIG. 8




FIG. 7