

[54] COMBINED PHOTOGRAPHIC CAMERA AND VIDEO MONITOR

3,446,131 5/1969 Cook et al. .... 354/76  
3,883,883 5/1975 Sano et al. .... 354/75  
4,027,315 5/1977 Barney ..... 354/76  
4,560,261 12/1985 Ueda et al. .... 354/121

[75] Inventor: Hajime Matsumoto, Hirakata, Japan

[73] Assignee: Daicolo Co., Ltd., Tokyo, Japan

[\*\*] Term: 14 Years

Primary Examiner—B. J. Bullock  
Assistant Examiner—Adir Aronovich  
Attorney, Agent, or Firm—Edwin E. Greigg

[21] Appl. No.: 118,834

[57] CLAIM

[22] Filed: Nov. 9, 1987

The ornamental design for a combined photographic camera and video monitor, as shown.

[52] U.S. Cl. .... D16/205; D16/214

[58] Field of Search ..... D16/200, 201, 202, 203,  
D16/204, 214; 354/75, 76, 219, 290, 291;  
358/906, 909


DESCRIPTION

FIG. 1 is a top plan view of a combined photographic camera and video monitor showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a top, front perspective view thereof; FIG. 6 is a rear elevational view thereof; and FIG. 7 is a right side elevational view.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 219,115 11/1970 Leman ..... D16/202  
D. 228,578 10/1973 Glaros ..... D16/214  
D. 243,171 1/1977 Sakashita ..... D16/202






FIG. 1




FIG. 2




FIG. 3

FIG. 4




FIG. 5





FIG. 6




FIG. 7