

[54] **FLOPPY DISK DRIVE UNIT**

[75] Inventor: **Yong H. Kim, Kyungki, Rep. of Korea**

[73] Assignee: **Gold Star Co., Ltd., Seoul, Rep. of Korea**

[\*\*] Term: **14 Years**

[21] Appl. No.: **402,919**

[22] Filed: **Sep. 5, 1989**

[30] **Foreign Application Priority Data**

Mar. 22, 1989 [KR] Rep. of Korea ..... 3489/1989[U]

[52] U.S. Cl. .... **D14/109**

[58] Field of Search ..... D14/100, 101, 102, 106,  
D14/107, 108, 109; D13/162, 184, 199;  
340/706-710; 360/97.01-99.12; 361/331, 332,  
380-385, 390-395, 399, 415, 426; 364/708-710

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 259,041	4/1981	Ault et al. ....	D14/100
D. 289,056	3/1987	Davis et al. ....	D14/100
D. 293,443	12/1987	Davis et al. ....	D14/100
D. 303,110	8/1989	Ji .....	D14/109 X
D. 309,299	7/1990	Oh .....	D14/109


*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Freda S. Nunn  
*Attorney, Agent, or Firm*—John P. White

[57] **CLAIM**


The ornamental design for a floppy disk drive unit, as shown and described.

**DESCRIPTION**


FIG. 1 is a top, front, right side perspective view of a floppy disk drive unit showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a right side elevational view thereof; and  
FIG. 7 is a left side elevational view thereof.



F I G . 1



F I G . 2



F I G . 3




FIG. 4






FIG. 5



F I G . 6



F I G . 7

