

[54] ARITHMETIC PROCESSOR FOR USE IN ELECTRONIC COMPUTERS

[75] Inventors: Tetsuji Abe, Hyogo; Benito Mishiro, Osaka, both of Japan

[73] Assignees: Matsushita Electric Industrial Co., Ltd., Japan; Solutions Are Everything, Inc., Colo.

[**] Term: 14 Years

[21] Appl. No.: 179,118

[22] Filed: Apr. 8, 1988

[30] Foreign Application Priority Data

Dec. 15, 1987 [JP] Japan 62-51130
[52] U.S. Cl. D14/102
[58] Field of Search D14/100, 102, 109; 361/390-395

[56] References Cited

U.S. PATENT DOCUMENTS

D. 169,684 5/1953 Kress et al. D14/109
D. 245,159 7/1977 Hardy D14/102
D. 247,810 5/1978 Moeckl D14/102
D. 250,019 10/1978 Pycha et al. D14/102
D. 293,111 12/1987 Nezu D14/102

D. 303,375 9/1989 Sellars, Jr. et al. D14/102

Primary Examiner—Carmen H. Vales-Lado
Attorney, Agent, or Firm—Stevens, Davis, Miller & Mosher

[57] CLAIM

The ornamental design for an arithmetic processor for use in electronic computers, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an arithmetic processor for use in electronic computers showing our new design;
FIG. 2 is a top plan view;
FIG. 3 is a rear elevational view;
FIG. 4 is a bottom view;
FIG. 5 is a right side elevational view;
FIG. 6 is a left side elevational view;
FIG. 7 is a front, top and right side perspective view;
FIG. 8 is a perspective view similar to FIG. 7 with the sliding door in open position for illustrative purposes;
FIG. 9 is a sectional view taken along line 9—9 of FIG. 1; and
FIG. 10 is a sectional view taken along line 10—10 of FIG. 1.
The internal mechanism removed in FIGS. 9 and 10 for convenience of illustration.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

