

[54] **REFRACTOMETER**

[75] **Inventor: Hiroshi Nishimura, Tokyo, Japan**

[73] **Assignee: Canon Kabushiki Kaisha, Tokyo, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 230,114**

[22] **Filed: Aug. 9, 1988**

[30] **Foreign Application Priority Data**

Feb. 12, 1988 [JP] Japan 63-5419

[52] **U.S. Cl. D24/17**

[58] **Field of Search D24/17, 8;
356/128-137; D10/46**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 244,483 5/1977 Toth et al. D24/8

D. 253,909 1/1980 Armbruster D24/17
D. 285,485 9/1986 Kahute D24/17
D. 296,004 5/1988 Kahute D24/17

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for a refractometer, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a refractometer showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a perspective view thereof in use position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

