

[54] **AUTOMATIC ANSWERING RECORDER FOR TELEPHONE**

[75] Inventor: **Fumitaka Kikutani**, Tokyo, Japan

[73] Assignee: **Sony Corporation**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **452,319**

[22] Filed: **Dec. 19, 1989**

[30] **Foreign Application Priority Data**

Jul. 6, 1989 [JP] Japan ..... 1-25111

[52] U.S. Cl. .... **D14/141**

[58] Field of Search ..... **D14/141; 379/76, 77, 379/73**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 225,867 1/1973 Van Valkenburgh ..... D14/141
- D. 256,689 9/1980 McCain ..... D14/141
- D. 266,162 9/1982 Martinez ..... D14/141
- D. 284,368 6/1986 Stansbury ..... D14/141
- D. 299,717 2/1989 Fukutome ..... D14/141

- 4,596,901 6/1986 Hanscom et al. .... D14/141 X
- 4,891,835 1/1990 Leung et al. .... 379/73

**OTHER PUBLICATIONS**

B. A. Pargh Catalog #1987, Spring/Summer; Sunday Answering Machines on pp. 267-269; 271-273.

*Primary Examiner*—Horace B. Fay, Jr.

[57] **CLAIM**

The ornamental design for an automatic answering recorder for telephone, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and right-side perspective view of an automatic answering recorder for telephone, showing my new design;

FIG. 2 is a top, front and right-side perspective view thereof, shown with cassette lid in the open position;

FIG. 3 is a front elevational view thereof;



FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left-side elevational view thereof;

FIG. 6 is a right-side elevational view thereof;

FIG. 7 is a top plan view thereof; and

FIG. 8 is a bottom plan view thereof.






FIG. 1




FIG. 5




FIG. 2






FIG. 6


*FIG. 7*



*FIG. 3*



*FIG. 4*



*FIG. 8*

