

[54] TIRE
[75] Inventors: Bill J. Wallet, Marshallville; Joseph F. Molnar, Wadsworth, both of Ohio
[73] Assignee: Bridgestone/Firestone, Inc., Akron, Ohio
[**] Term: 14 Years
[21] Appl. No.: 370,510
[22] Filed: Jun. 23, 1989
[52] U.S. Cl. D12/147
[58] Field of Search D12/141-143, D12/145-148; 152/209 R, 209 D

[56] References Cited
U.S. PATENT DOCUMENTS

D. 265,303	7/1982	Yokoyama		D12/147
D. 291,792	9/1987	Clemens		D12/147
D. 292,081	9/1987	Kuroda		D12/146
D. 294,135	2/1988	Wallet		D12/147
D. 295,036	4/1988	Wallet et al.		D12/147
D. 299,712	2/1989	Slagh		D12/147
D. 303,945	10/1989	Tsuda et al.		D12/147

OTHER PUBLICATIONS

1988 Tread Design Guide, p. 54, Montgomery Ward Twin Guard Radial, third row down from top, right side of page.
Academy Consumer Radial, 1988 Tread Design Guide, p. 12, top row center.
Kumha Powermax 764-60/65, 1988 Tread Design Guide, p. 47, top row, second from left.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—E. H. Ruf

[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire embodying our design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown. FIG. 2 is a front elevational view thereof. FIG. 3 is a side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3