

[54] COMBINED VIDEO CAMERA AND TAPE RECORDER

[75] Inventor: Yoshiyuki Matsumura, Kunitachi, Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 279,149

[22] Filed: Dec. 2, 1988

[30] Foreign Application Priority Data

Jun. 6, 1988 [JP] Japan 63-22369

[52] U.S. Cl. D16/202

[58] Field of Search D16/200, 202, 205, 208; 352/34, 242, 243; 354/82, 293; 358/229, 906

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 288,811 3/1987 Kurokawa D16/202
- D. 289,645 5/1987 Kondo D14/78
- D. 294,570 3/1988 Kurokawa D16/202
- D. 305,032 12/1989 Nishiyama et al. D16/202
- 4,772,902 9/1988 Inoue et al. 354/82

OTHER PUBLICATIONS

- Video Review, Jan. 1989, p. 106.
- Video Review, Jan. 1989, p. 7, advertising supplement. HFD, 5/23/88, p. 100, (Sony's Handycam 8 mm CCD-F30 Camera).
- HFD, 10/3/88, p. 138, (Nikon's VN-820 Camera).

Primary Examiner—B. J. Bullock
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a combined video camera and tape recorder, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a combined video camera and tape recorder showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; and FIG. 7 is a top, front and left side perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

