

# United States Patent [19]

Shinano et al.

[11] Patent Number: Des. 316,421

[45] Date of Patent: \*\* Apr. 23, 1991

[54] **INFRARED IRRADIATION DEVICE FOR VIDEO CAMERA**

[75] Inventors: Toru Shinano, Yokohama; Kazuaki Sakuta, Koganei, both of Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 151,085

[22] Filed: Feb. 2, 1988

[30] **Foreign Application Priority Data**

Aug. 4, 1987 [JP] Japan ..... 62-31919

[52] U.S. Cl. .... D16/237; D16/219; D16/202

[58] Field of Search ..... D16/200, 202, 219, 220, D16/237, 239, 240; 358/110, 111, 113, 160

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 160,300 10/1950 Chapman ..... D16/200

D. 234,370 2/1975 Oberheim ..... D16/240  
D. 245,613 8/1977 Woodring et al. .... D16/239  
D. 269,513 6/1983 Nagele ..... D16/202

**OTHER PUBLICATIONS**

Radio Shack 1988 Catalog No. 419, p. 7, Ultracompact VHS-C Camcorder.


Primary Examiner—Theodore M. Shooman  
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**


The ornamental design for an infrared irradiation device for video camera, as shown and described.

**DESCRIPTION**


FIG. 1 is a front elevational view of an infrared irradiation device for video camera showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; and FIG. 7 is a perspective view thereof.




*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*

