

[54] AUTOMOBILE TIRE

[75] Inventor: Tetsushi Fujiki, Hyogo, Japan

[73] Assignee: Sumitomo Rubber Industries, Ltd., Hyogo, Japan

[**] Term: 14 Years

[21] Appl. No.: 328,554

[22] Filed: Mar. 24, 1989

[30] Foreign Application Priority Data

Oct. 20, 1988 [JP] Japan 63-41175

[52] U.S. Cl. D12/140; D12/149

[58] Field of Search D12/136, 140, 146-151; 152/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 300,622 4/1989 Furusawa et al. D12/149

OTHER PUBLICATIONS

1988 Tread Design Guide, A Bennett Garfield Publication, p. 250, Dunlop KT5 77A ATV Tire. "Dunlop KT486 ATV." 1988 *Tread Design Guide*, A Bennett Garfield Publication, p. 250.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

CLAIM

[57] The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing my new design, it being understood that the tread design is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown.

FIG. 2 is a front elevational view thereof; and FIG. 3 is a side elevational view thereof.




Fig. 1




Fig. 3




Fig. 2

