

[54] AUTOMOBILE TIRE

[75] Inventor: Kenji Tagashira, Hyogo, Japan

[73] Assignee: Sumitomo Rubber Industries, Ltd., Hyogo, Japan

[**] Term: 14 Years

[21] Appl. No.: 329,076

[22] Filed: Mar. 27, 1989

[30] Foreign Application Priority Data

Sep. 28, 1988 [JP] Japan 63-37937

[52] U.S. Cl. D12/146

[58] Field of Search D12/141-143, D12/146-151; 152/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 57,745 4/1921 Terrell D12/146

OTHER PUBLICATIONS

1988 Tread Design Guide, p. 63, Remington XT120

M&S Radial Tire, second row down from top, right side of page.

1988 Tread Design Guide, A Bennett Garfield Publication, p. 31, "Dunlop Qualifier M&S Radial Snow (T Rated) B-T-P-SB-RP-50-60-M(RD)".

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

[57] CLAIM

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing my new design, it being understood that the tread design is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown.

FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view of one side thereof; and

FIG. 4 is an enlarged fragmentary elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

