

[54] AUTOMOBILE TIRE

2,626,649 1/1953 Eiler et al. 152/209 B

[75] Inventor: Eiji Nakasaki, Hyogo, Japan

[73] Assignee: Sumitomo Rubber Industries, Ltd.,
Hyogo, Japan

[**] Term: 14 Years

[21] Appl. No.: 298,007

[22] Filed: Jan. 18, 1989

[30] Foreign Application Priority Data

Jul. 21, 1988 [JP] Japan 63-29163

[52] U.S. Cl. D12/147

[58] Field of Search D12/146-151,
D12/136, 137, 139; 152/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 53,070 3/1919 Griffiths D12/139
- D. 88,781 12/1932 Gunsaulus D12/136
- D. 108,097 1/1938 Brunner D12/147

OTHER PUBLICATIONS

1988 Tread Design Guide, A Bennett Garfield Publication, p. 211, Firestone Super Rock Grip Tire.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

[57] CLAIM

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing my new design, it being understood that the tread design is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown.

FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof; and

FIG. 4 is a rear elevational view thereof.




FIG. 2




FIG. 1




FIG. 4




FIG. 3

