

[54] AUTOMOBILE TIRE

[75] Inventor: Tetsushi Fujiki, Hyogo, Japan
[73] Assignee: Sumitomo Rubber Industries, Ltd.,
Hyogo, Japan
[**] Term: 14 Years
[21] Appl. No.: 340,159
[22] Filed: Apr. 18, 1989

[30] Foreign Application Priority Data
Oct. 20, 1988 [JP] Japan 63-41173
[52] U.S. Cl. D12/149
[58] Field of Search D12/134, 136, 146-151;
209/209 R, 209 B, 209 D

[56] References Cited
U.S. PATENT DOCUMENTS
D. 301,856 6/1989 Kato D12/147
D. 306,002 2/1990 Shimamoto D12/151

OTHER PUBLICATIONS

Modern Tire Dealer Annual Products catalog, Mi-
d-Apr. 1988, p. 18, Traks Max ATV Tire, Box 164,
lower left center of page.
"Dunlop KT885 ATV", 1988 *Tread Design Guide*, a
Bennett Garfield publication, p. 251.
Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Birch, Stewart, Kolasch &
Birch

[57] CLAIM

The ornamental design for an automobile tire, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire show-
ing my new design, it being understood that the tread
design is repeated uniformly throughout the circumfer-
ence of the tire and the opposite side is the same as that
shown.
FIG. 2 is a front elevational view thereof; and
FIG. 3 is a side elevational view thereof.




Fig. 1




Fig. 3




Fig. 2

