

[54] AUTOMOBILE TIRE

[75] Inventor: Tetsushi Fujiki, Hyogo, Japan

[73] Assignee: Sumitomo Rubber Industries, Ltd., Hyogo, Japan

[**] Term: 14 Years

[21] Appl. No.: 340,159

[22] Filed: Apr. 18, 1989

[30] Foreign Application Priority Data

Oct. 20, 1988 [JP] Japan 63-41173

[52] U.S. Cl. D12/149

[58] Field of Search D12/134, 136, 146-151; 209/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 301,856 6/1989 Kato D12/147
- D. 306,002 2/1990 Shimamoto D12/151

OTHER PUBLICATIONS

Modern Tire Dealer Annual Products catalog, Mid-Apr. 1988, p. 18, Traks Max ATV Tire, Box 164, lower left center of page.

"Dunlop KT885 ATV", 1988 *Tread Design Guide*, a Bennett Garfield publication, p. 251.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

[57] CLAIM

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing my new design, it being understood that the tread design is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown.

FIG. 2 is a front elevational view thereof; and FIG. 3 is a side elevational view thereof.




Fig. 1




Fig. 3




Fig. 2

