

[54] REEL SEAT FOR FISHING ROD

[75] Inventor: Mitsuyoshi Oyama, Musashino, Japan

[73] Assignee: Daiwa Seiko, Inc., Higashi-kurume, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 379,160

[22] Filed: Jul. 13, 1989

[30] Foreign Application Priority Data

Jan. 18, 1989 [JP] Japan ..... 1-1305  
Apr. 21, 1989 [JP] Japan ..... 1-14936  
May 2, 1989 [JP] Japan ..... 1-16396

[52] U.S. Cl. .... D22/142

[58] Field of Search ..... D22/142; 43/18.1, 22, 43/23

[56] References Cited

U.S. PATENT DOCUMENTS

D. 252,697 8/1979 Ohmuka ..... D22/142  
D. 283,720 5/1986 Benit ..... D22/142  
D. 289,193 4/1987 Childre ..... D22/142  
D. 290,155 6/1987 Ohmura ..... D22/142  
D. 299,513 1/1989 Andreasen et al. .... D22/142  
4,516,351 5/1985 Highby ..... D22/142 X

Primary Examiner—A. Hugo Word

Assistant Examiner—Doris V. Coles

Attorney, Agent, or Firm—Bacon & Thomas

[57] CLAIM

The ornamental design for a reel seat for fishing rod, as shown and described.

DESCRIPTION

FIG. 1 is a front and bottom perspective view of a reel seat for fishing rod showing my new design;

FIG. 2 is a rear and top perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a right side elevational view thereof;

FIG. 8 is a left side elevational view thereof;

FIG. 9 is a sectional view thereof taken on line 9—9 in FIG. 6;

FIG. 10 is a front elevational view of a second embodiment thereof;

FIG. 11 is a rear elevational view thereof;

FIG. 12 is a top plan view thereof;

FIG. 13 is a bottom plan view thereof;

FIG. 14 is a right side elevational view thereof;

FIG. 15 is a left side elevational view thereof;

FIG. 16 is a sectional view thereof taken on line 16—16 in FIG. 10;

FIG. 17 is a sectional view thereof taken on line 17—17 in FIG. 11;

FIG. 18 is a sectional view thereof taken on line 18—18 in FIG. 11;

FIG. 19 is a sectional view thereof taken on line 19—19 in FIG. 11;

FIG. 20 is a sectional view thereof taken on line 20—20 in FIG. 11;

FIG. 21 is a sectional view thereof taken on line 21—21 in FIG. 11;

FIG. 22 is a front elevational view of a third embodiment thereof;

FIG. 23 is a rear elevational view thereof;

FIG. 24 is a top plan view thereof;

FIG. 25 is a bottom plan view thereof;

FIG. 26 is a right side elevational view thereof;

FIG. 27 is a left side elevational view thereof;

FIG. 28 is a sectional view thereof taken on line 28—28 in FIG. 22;

FIG. 29 is a sectional view thereof taken on line 29—29 in FIG. 23;

FIG. 30 is an end view thereof taken on line 30—30' in FIG. 23;

FIG. 31 is a sectional view thereof taken on line 31—31 in FIG. 23; and

FIG. 32 is a sectional view thereof taken on line 32—32 in FIG. 23.




FIG. 1




FIG. 2




FIG. 3



FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 19



FIG. 21




FIG. 18



FIG. 20



FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 31



FIG. 30




FIG. 32

