

[54] **CRUTCH BAG**

[76] **Inventor: Lance O. Yarus, 341 Cumberland St., P.O. Box 629, Lebanon, Pa. 17042**

[**] **Term: 14 Years**

[21] **Appl. No.: 308,379**

[22] **Filed: Feb. 8, 1989**

[52] **U.S. Cl. D3/11**

[58] **Field of Search D3/3-17, D3/48, 52; 135/65-68, DIG. 11; 150/117**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 248,336	6/1978	Fink	D3/52
315,303	4/1885	Lambert .	
394,043	12/1888	Whitlock .	
475,503	5/1892	Hock .	
585,081	6/1897	Cauter	224/226
810,926	1/1906	Eigin .	
1,214,282	1/1917	Day	224/42.46 R

2,063,850	12/1936	Nemeth	150/117 X
2,534,783	12/1950	Marogg .	
2,779,523	1/1959	Klimkiewicz	224/28
2,783,926	3/1957	Wise	224/26
3,545,659	12/1970	Libby	224/5
4,295,483	10/1981	Smith	135/66
4,570,688	2/1986	Williams	150/134
4,850,383	7/1989	McBride	135/66

Primary Examiner—Louis S. Zarfaz

Attorney, Agent, or Firm—Steele, Gould & Fried

[57] **CLAIM**

The ornamental design for a crutch bag, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a crutch bag showing my new design; FIG. 2 is a rear elevational view; FIG. 3 is a top plan view; FIG. 4 is a left side elevational view; FIG. 5 is a right side elevational view; and FIG. 6 is a bottom plan view.





FIG. 1




FIG. 2





FIG. 3




FIG. 4





FIG. 5




FIG. 6