

[54] PORTABLE AUTOMOTIVE MONITORING INSTRUMENT

[75] Inventor: Otto Becker, Trossingen, Fed. Rep. of Germany

[73] Assignee: Mannesmann Kienzle GmbH

[**] Term: 14 Years

[21] Appl. No.: 348,474

[22] Filed: May 5, 1989

[30] Foreign Application Priority Data

Nov. 8, 1988 [WO] World Int. Prop. O. DM/012142

[52] U.S. Cl. D10/78

[58] Field of Search D10/46, 53, 78, 109; D18/7; 200/153 T, 303, 307, 339, 523, 526, 553, 556; 340/425.5, 438, 459, 461, 462, 521, 691, 711, 815.01, 815.15, 815.18

[56] References Cited
U.S. PATENT DOCUMENTS

D. 260,085	8/1981	Mitchell	D10/78
D. 534,334	3/1976	Bell	D10/78 X
4,464,933	8/1984	Santis	340/462 X
4,663,718	5/1987	Augello et al.	340/462 X
4,890,088	12/1989	Woodell	340/461 X
4,932,244	6/1990	Yamaguchi et al.	340/462 X


Primary Examiner—Nelson C. Holtje
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Toren, McGeedy & Associates

[57] CLAIM

The ornamental design for a portable automotive monitoring instrument, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a portable automotive monitoring instrument showing my new design; FIG. 2 is a right side elevational view; FIG. 3 is a top plan view; FIG. 4 is a bottom plan view; FIG. 5 is a rear elevational view; and FIG. 6 is a left side elevational view thereof.






FIG. 3




FIG. 1




FIG. 2




FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 316,825

DATED : May 14, 1991

INVENTOR(S) : Orro Becker

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, item [73] Assignee: should read as follows:

--[73] Assignee: Mannesmann Kienzle GmbH, Fed. Rep.
of Germany--.

Signed and Sealed this
Twenty-third Day of March, 1993

Attest:

Attesting Officer

STEPHEN G. KUNIN

Acting Commissioner of Patents and Trademarks