

[54] DROPPER TIP OR SIMILAR ARTICLE

4,411,163 10/1983 White D24/51
4,498,609 2/1985 Stock .
4,610,374 9/1986 Buehler 222/83
4,681,243 7/1987 Takasugi 222/83
4,773,551 9/1988 Rizzardi 222/420

[76] Inventor: James W. Walsh, 3832 Beech Ave.,
Baltimore, Md. 21211

[**] Term: 14 Years

Primary Examiner—Melvin B. Feifer
Assistant Examiner—Philip Hyder
Attorney, Agent, or Firm—Cushman, Darby & Cushman

[21] Appl. No.: 100,008

[22] Filed: Sep. 23, 1987

[52] U.S. Cl. D24/51; D24/55

[58] Field of Search D9/434, 435, 436;
D24/63, 51, 52, 55; 222/83, 149, 420, 541, 567;
604/217, 251, 405, 411

[57] CLAIM

The ornamental design for dropper tip or similar article,
as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a dropper tip or similar article showing my new design, the side and rear views appearing the same as the front views;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevational view of a second embodiment thereof, the side and rear views appearing the same as the front view and the bottom view appearing the same as that of FIG. 3;
FIG. 5 is a front elevational view of a third embodiment thereof, the side and rear views appearing the same as the front view and the bottom view appearing the same as that of FIG. 3;
FIG. 6 is a top plan view of FIG. 4; and
FIG. 7 is a top plan view of FIG. 5.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 296,592 7/1988 Wellenstan D24/51
D. 297,262 8/1988 Sternweiler D24/52
D. 300,561 4/1989 Asa et al. D24/55
1,153,810 9/1915 Milward .
2,188,802 1/1940 Beckett 222/420
2,734,665 2/1956 Flamm .
2,896,237 7/1959 Owens et al. .
2,987,223 6/1961 Armour .
3,124,280 3/1964 Stull D9/447
3,308,999 3/1967 Darlington, Jr. .
4,211,588 7/1980 Raines 604/411
4,234,103 11/1980 Strobl, Jr. et al. .
4,408,699 10/1983 Stock .




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

