

[54] **SPRING CLAMP**

[75] Inventor: **Roderick L. Nimtz**, Garrettsville,
Ohio

[73] Assignee: **Warren Tool Corporation**, Hiram,
Ohio

[**] Term: **14 Years**

[21] Appl. No.: **311,588**

[22] Filed: **Feb. 16, 1989**

[52] U.S. Cl. **D8/395; D32/64**

[58] Field of Search **D8/395; 24/500, 507,
24/508, 509, 510; D6/323, 326, 328; D32/61,
64**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 214,527	6/1969	Mazeika .	
1,259,458	3/1918	Norris	24/507
1,281,913	10/1918	Curley .	
1,335,331	3/1920	Gunderson	24/565
1,844,774	2/1932	Locki .	
2,060,373	11/1936	Holtz	24/510
2,519,652	8/1950	Hargrave	24/508

2,850,117	9/1958	Gersmehl, Sr.	188/32
3,656,213	4/1972	McNeely	24/564
4,175,306	11/1979	Bigelow	24/253
4,411,050	10/1983	Couture	24/234

OTHER PUBLICATIONS

Three photographs of a spring clamp marked Fuller and Japan (Markings are not distinguishable in photographs) undated.

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Renner, Kenner, Grieve
Bobak, Taylor & Weber

[57] **CLAIM**

The ornamental design for spring clamp, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a spring clamp embodying my new design.

FIG. 2 is a front elevational view thereof.

FIG. 3 is a rear elevational view thereof.

FIG. 4 is a top plan view thereof, the bottom being identical.

FIG. 5 is a side elevationa view thereof.






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5