

[54] **AUTOMOBILE TIRE**

[75] **Inventor:** Tetsushi Fujiki, Hyogo, Japan  
[73] **Assignee:** Sumitomo Rubber Industries, Ltd.,  
Hyogo, Japan  
[\*\*] **Term:** 14 Years  
[21] **Appl. No.:** 328,555  
[22] **Filed:** Mar. 24, 1989

[30] **Foreign Application Priority Data**

Oct. 20, 1988 [JP] Japan ..... 63-41176  
[52] **U.S. Cl.** ..... **D12/138**  
[58] **Field of Search** ..... D12/136, 137, 138, 140,  
D12/146-151; 152/209 R, 209 B, 209 D

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 72,732 5/1927 Sigler ..... D12/138  
D. 275,472 9/1984 Hisatomi et al. .... D12/147

**OTHER PUBLICATIONS**

Mopern Tire Dealer, 6/88, p. 32, Grand Prix ATV Tire,  
center left side of page.  
1988 Tread Design Guide, A Bennett Garfield Publica-  
tion, p. 232, Firestone Rear Wheel Flotation all Terrain  
Tire.

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—Birch, Stewart, Kolasch &  
Birch


[57] **CLAIM**

The ornamental design for an automobile tire, as shown  
and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an automobile tire show-  
ing my new design, it being understood that the tread  
design is repeated uniformly throughout the circumfer-  
ence of the tire and the opposite side is the same as that  
shown.

FIG. 2 is a front elevational view thereof; and  
FIG. 3 is a side elevational view thereof;



*Fig. 1*




Fig. 3




Fig. 2

