

[54] **TIRE FOR TOY VEHICLE**
[75] **Inventor: Tomoharu Suzuki, Shizuoka, Japan**
[73] **Assignee: Kabushiki Kaisha Tamiya Mokei, Shizuoka, Japan**
[**] **Term: 14 Years**
[21] **Appl. No.: 334,946**
[22] **Filed: Apr. 7, 1989**

[30] **Foreign Application Priority Data**
Oct. 7, 1988 [JP] Japan 63-39225
[52] **U.S. Cl. D21/141; D12/147; D12/139**
[58] **Field of Search D12/136, 139, 134, 146-151; 152/209 R, 209 B, 209 D; D21/141, 140, 134, 78, 79; 446/465; 301/63 PW**

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 278,356 4/1985 Goldfarb et al. D21/141
D. 278,450 4/1985 Goldfarb et al. D21/141
D. 293,093 12/1987 Nishio et al. D12/147
952,039 3/1910 Greenwald D12/134

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Finnegan, Henderson, Farabow, Garrett & Dunner

[57] **CLAIM**
The ornamental design for a tire for toy vehicle, as shown.

DESCRIPTION
FIG. 1 is a bottom right perspective view of a tire for toy vehicle showing my new design;
FIG. 2 is a right side elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a bottom plan view thereof; and
FIG. 5 is a top plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4

