

[54] BLOOD FILTER

[75] Inventor: Yoshihisa Sone, Tokyo, Japan

[73] Assignee: Terumo Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 152,856

[22] Filed: Feb. 5, 1988

[30] Foreign Application Priority Data

Sep. 2, 1987 [JP] Japan 62-35560

[52] U.S. Cl. D24/162

[58] Field of Search D24/21; 210/446, 436, 210/304, 321.74, 321.87, 323.1, 323.2, 297; 422/44, 45; 128/400; 604/317

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 299,269 1/1989 Pierson et al. D24/21
- 3,105,042 9/1963 Roosa 210/436 X
- 3,701,433 10/1972 Krakauer et al. D24/21 X
- 3,827,562 8/1974 Esmond D24/21 X

- 4,157,965 6/1979 Raible 210/446 X
- 4,490,254 12/1984 Gordon et al. D24/21 X

FOREIGN PATENT DOCUMENTS

662767 7/1985 Japan .

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

[57] CLAIM

The ornamental design for a blood filter, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a blood filter showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a cross-sectional view taken along line 7—7 of FIG. 3; and
 FIG. 8 is a cross-sectional view taken along line 8—8 of FIG. 1.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

