

United States Patent [19]

Sugiyama et al.

[11] Patent Number: Des. 317,299

[45] Date of Patent: ** Jun. 4, 1991

[54] LOCKING MEMBER FOR AN ELECTRICAL CONNECTOR

[75] Inventors: Masaaki Sugiyama; Toshio Suehisa; Shigeru Iida, all of Shizuoka, Japan

[73] Assignee: Yazaki Corporation, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 350,263

[22] Filed: May 11, 1989

[30] Foreign Application Priority Data

Nov. 11, 1988 [JP] Japan 63-44001

[52] U.S. Cl. D13/154

[58] Field of Search D13/133, 146, 147;
439/246-248, 259, 282, 296, 299, 345, 350,
351-353, 357, 358, 374, 529, 533, 575, 586, 587,
592-598, 600, 656, 668, 678, 679, 680, 682, 685,
686, 691, 692, 695, 701, 723, 724, 729

[56] References Cited

U.S. PATENT DOCUMENTS

3,332,053 7/1967 Busler 439/596

4,502,747 3/1985 Bright et al. 439/296
4,538,874 9/1985 Dambach et al. 439/723 X
4,969,831 11/1990 Kuzuno et al. 439/259

FOREIGN PATENT DOCUMENTS

2138639 10/1984 United Kingdom 439/596

Primary Examiner—Susan J. Lucas

Assistant Examiner—J. Sincavage

Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] CLAIM

The ornamental design for a locking member for an electrical connector, as shown.

DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a locking member for an electrical connector showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear elevational view thereof; and

FIG. 7 a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

