

[54] **TELEVISION RECEIVER**

[75] **Inventor: Gary E. Grimes, Eersel, Netherlands**

[73] **Assignee: U.S. Philips Corporation, New York, N.Y.**

[**] **Term: 14 Years**

[21] **Appl. No.: 349,473**

[22] **Filed: May 9, 1989**

[30] **Foreign Application Priority Data**

Dec. 9, 1988 [WO] World Int. Prop. O. ... DM/012.367

[52] **U.S. Cl. D14/126**

[58] **Field of Search D14/113-114,
D14/124-136, 217, 239, 299; 358/254, 255;
312/7.2**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 277,854 3/1985 Masuba D14/126

D. 298,247 10/1988 Kogane et al. D14/126

D. 299,233 1/1989 Maki et al. D14/126

OTHER PUBLICATIONS

Video Review; Feb. 1988; p. 59; Right center—Emerson Model MS2700RD.

High Fidelity; Nov. 1988; p. 49; Bottom left—Philips Model 27-J245SB.


Primary Examiner—Theodore M. Shooman

[57] **CLAIM**

The ornamental design for a television receiver, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a television receiver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7