

[54] **JEWELRY CASE**

[75] **Inventor: Jeffrey Snyder, New York, N.Y.**

[73] **Assignee: Etna Products Co., Inc., New York, N.Y.**

[**] **Term: 14 Years**

[21] **Appl. No.: 246,645**

[22] **Filed: Sep. 20, 1988**

[52] **U.S. Cl. D3/75; D3/74**

[58] **Field of Search D3/75, 74, 76, 39, 72; 206/6.1, 562, 581, 472, 566, 563, 45.14, 495, 184, 527, 581, 315.1, 232; 220/8**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 266,115	9/1982	Glenn, Sr. et al.	D3/75
D. 271,161	11/1983	Compton	D3/74
1,231,674	7/1917	Underwood	206/566
1,445,593	2/1923	Iscowitz	206/472
2,084,912	6/1937	Klep	206/315.1

4,720,012	1/1988	DuFour	206/495
4,771,886	9/1988	Johnson	206/472
4,848,586	7/1989	Jasik	206/495

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—M. N. Pandozzi
Attorney, Agent, or Firm—Henry R. Lerner

[57] **CLAIM**

The ornamental design for a jewelry case, as shown and described.

DESCRIPTION

FIG. 1 is a front, elevational perspective view of the jewelry case showing my new design in closed condition;
 FIG. 2 is a right side elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a perspective view thereof in open condition;
 FIG. 7 is a sectional view taken on lined 7—7 of FIG. 2;
 FIG. 8 is a sectional view taken on line 8—8 of FIG. 2.




FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 6




FIG. 5




FIG. 8




FIG. 7

