

[54] DISPLAY FOR PROGRAMMABLE CONTROLLER

D. 308,373 6/1990 Shimizu ..... D14/126  
4,715,385 12/1987 Cudahy et al. .... 364/708 X

[75] Inventor: Katsuhiko Ishida, Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 307,584

[22] Filed: Feb. 6, 1989

[30] Foreign Application Priority Data

Sep. 7, 1988 [JP] Japan ..... 63-35295  
[52] U.S. Cl. .... D14/113  
[58] Field of Search ..... D14/100, 101, 105, 106,  
D14/113, 124, 125, 126; 340/700, 706, 707, 711,  
712; 341/22, 23; 358/248, 249, 254;  
364/706-710.14; 248/917-923, 349, 371, 372.1,  
422, 649

[56] References Cited

U.S. PATENT DOCUMENTS

D. 304,445 11/1989 Kuba ..... D14/113  
D. 306,287 2/1990 Kuba ..... D14/113  
D. 306,720 3/1990 Flies ..... D14/113

OTHER PUBLICATIONS

Design Technology. Sep. 1987. p. 12, Item No. 4, Keypad.


Primary Examiner—Wallace R. Burke  
Assistant Examiner—Freda S. Nunn  
Attorney, Agent, or Firm—Flehr, Hohbach, Test,  
Albritton & Herbert


[57] CLAIM

The ornamental design for a display for programmable controller, as shown and described.


DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a display for programmable controller showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a right side elevational view thereof, and  
FIG. 7 is a left side elevational view thereof.







**FIG\_1**




**FIG\_2**




**FIG\_3**




**FIG\_4**



**FIG\_5**



**FIG\_6**



**FIG\_7**