

[54] BINDER

[75] Inventors: Masaji Sawada; Kuniyasu Matsumoto, both of Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 366,035

[22] Filed: Jun. 14, 1989

[52] U.S. Cl. .... D19/27; D19/26

[58] Field of Search ..... D19/26, 27, 28, 20, D19/21, 22, 23; 281/31, 21.1, 49; 402/79; 206/214, 215, 238; 40/404; D3/30.1; 283/38

[56] References Cited

U.S. PATENT DOCUMENTS

2,390,125	12/1945	Schade .....	281/29
2,790,651	4/1957	Winstead .....	281/29
3,190,678	6/1965	Peterson et al. ....	281/29
3,201,145	8/1965	Libby .....	281/29 X
3,325,917	6/1967	Kinnaman .....	D19/27 X


Primary Examiner—Wallace R. Burke  
Assistant Examiner—P. Schmidt  
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for a binder, shown and described.


DESCRIPTION

FIG. 1 is a top perspective view of a binder showing our new design in a fully opened position; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a left side elevational view thereof; FIG. 8 is a top plan view thereof in a fully closed position; FIG. 9 is a front elevational view thereof, the undisclosed rear being flat and plain; and FIG. 10 is a right side elevational view thereof, the undisclosed left side being substantially the same.





*FIG\_1*




FIG\_2




FIG\_4



FIG\_6




FIG\_3



FIG\_5



FIG\_7



FIG\_8



FIG\_9



FIG\_10