United States Patent [19]

Apps

[11] **Patent Number: Des. 317,670**

[45] **Date of Patent: ** Jun. 18, 1991**

[54] **NESTABLE CAN TRAY**

[75] Inventor: **William P. Apps**, Anaheim, Calif.

[73] Assignee: **Rehrig-Pacific Company, Inc.**, Los Angeles, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **357,068**

[22] Filed: **May 23, 1989**

[52] **U.S. Cl.** **D34/40**; D9/341

[58] **Field of Search** ..... D40/40–46; D9/341–346; 206/499, 503, 518, 519, 507, 203, 506; 220/1.5, 906, DIG. 2, DIG. 15, 509, 507, 514

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 202,826	11/1965	Weiss	D9/341
D. 208,111	7/1967	Vidal	D34/45
D. 284,841	7/1986	Rowland et al.	D34/40 X
820,445	5/1906	Speer	220/509
2,535,493	12/1950	Gerber	220/DIG. 15 X
2,743,030	4/1956	Read, Jr.	220/510
2,970,715	2/1961	Kappel et al.	220/516
3,055,542	9/1962	Russo .	
3,104,044	9/1963	Reifers .	
3,203,583	8/1965	Amberg et al. .	
3,219,233	11/1965	Whiteford .	
3,420,402	1/1969	Frater et al. .	
3,643,812	2/1972	Mander et al.	211/74
3,812,996	5/1974	Bunnell	220/516
4,095,720	6/1978	Delbrouck et al. .	
4,098,403	7/1978	Davis .	
4,205,749	6/1980	Carroll et al. .	
4,256,224	3/1981	Hirota .	
4,304,334	12/1981	Hirota .	
4,316,540	2/1982	Lapham .	
4,344,530	8/1982	deLarosiere .	
4,410,099	10/1983	deLarosiere .	
4,416,374	11/1983	Smith et al. .	
4,615,444	10/1986	deLarosiere .	
4,823,955	4/1989	Apps .	

FOREIGN PATENT DOCUMENTS

WO82/01536	5/1982	PCT Int'l Appl. .
1330778	9/1973	United Kingdom .
2135278A	8/1984	United Kingdom .

Primary Examiner—Bernard Ansher
Assistant Examiner—Prabhakar Deshmukh
Attorney, Agent, or Firm—Banner, Birch, McKie & Beckett

[57] **CLAIM**

The ornamental design for a nestable can tray, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a nestable can tray showing my new design;
FIG. **2** is a top plan view thereof;
FIG. **3** is a bottom plan view thereof;
FIG. **4** is a front elevation thereof; the rear elevation being a mirror image thereof;
FIG. **5** is a left side elevation thereof; the right side elevation being a mirror image thereof;
FIG. **6** is a perspective view of a modified form of FIG. **1**;
FIG. **7** is a top plan view of FIG. **6**;
FIG. **8** is a bottom plan view of FIG. **6**;
FIG. **9** is a front elevation of FIG. **6.** The rear elevation being a mirror image; and
FIG. **10** is a left side elevation of FIG. **6.** The right side elevation being a mirror image.



FIG. 1





FIG. 2



FIG. 3



FIG. 4



FIG. 5

FIG. 6





FIG. 7

FIG. 8





FIG. 9



FIG. 10