

[54] **COMBINED STEERING  
WHEEL-ATTACHED LOCK AND ALARM  
FOR ALTERNATIVE USE AS A  
VERTICALLY-POSITIONED VISUAL  
WARNING LIGHT FOR PLACEMENT IN A  
ROADWAY**

[75] **Inventor: Kip L. Fuller, Littleton, Colo.**

[73] **Assignee: Innovision Technologies Group, Inc.,  
Lakewood, Colo.**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 507,590**

[22] **Filed: Apr. 11, 1990**

[52] **U.S. Cl. .... D8/331; D10/114**

[58] **Field of Search .... D8/330-331,  
D8/332, 344, 346; D10/104, 106, 111, 114;  
D26/93, 97; 340/331, 321, 425.5, 426; 362/61,  
171, 382, 410, 414; 70/57.1, 237, 252, 258, 209,  
202**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**


D. 239,516	4/1976	Blume	.....	D10/111
D. 261,116	10/1981	Repak	.....	D10/114
D. 267,899	2/1983	Kolm et al.	.....	D10/114 X
D. 287,106	12/1986	Wade	.....	D10/114
646,823	4/1900	Gavin	.	
990,915	5/1911	Slepicka	.	
1,019,552	3/1912	Symons	.	
1,139,757	5/1915	Fassett	.	
1,223,060	4/1917	Louthan	.	
1,238,598	8/1917	Thorell	.	
1,239,602	9/1917	Johnston	.	
1,301,493	4/1919	Niemeyer	.	
1,326,803	12/1919	Tapley	.	
1,347,463	7/1920	Jameson	.	
1,364,539	6/1921	Baker et al.	.	
1,429,334	9/1922	Furber	.	
1,438,734	12/1922	Willett	.	
1,448,658	3/1923	Furber	.	
1,481,537	1/1924	Carney	.	
1,539,446	5/1925	Vincent	.	
1,655,350	1/1928	Alfisi	.	
1,853,403	4/1932	Briggs	.	
2,075,040	3/1937	Kieber	.	
2,621,385	12/1952	Gilmore	.	

3,032,183	5/1962	Magazanik	.	
3,108,510	10/1963	Tolbert, Sr.	.	
3,245,239	4/1966	Zaidener	.	
3,334,501	8/1967	Greenwald	.	
3,462,982	8/1969	Moore	.	
3,531,955	10/1970	Taylor et al.	.	
3,551,907	12/1970	Newton et al.	.....	D10/106 X
3,562,706	2/1971	Mason	.	
3,566,350	2/1971	Kahn	.	
3,622,978	11/1971	Lipschutz	.	
3,664,164	5/1972	Zaidener	.....	70/202
3,670,301	6/1972	Douglas	.	
3,710,371	1/1973	Whalen et al.	.	
3,742,743	7/1973	Stoyanovitch	.....	70/209
3,772,646	11/1973	Keith et al.	.	
3,815,391	6/1974	Latta	.....	70/209
3,818,437	6/1974	DiMarco	.	
3,898,823	8/1975	Ludeman	.....	70/209 X
3,981,168	9/1976	Vanelli Coralli et al.	.....	70/417
4,039,894	8/1977	Gardner, III	.....	D10/114 X
4,074,550	2/1978	Rowlings	.....	70/237
4,103,524	8/1978	Mitchell et al.	.....	70/209
4,155,067	5/1979	Gleeson	.	
4,211,995	7/1980	Smith	.	
4,304,110	12/1981	Fain	.....	70/209
4,322,714	3/1982	Morgan	.	
4,337,454	6/1982	Iwata	.	
4,338,806	7/1982	Cox	.....	70/417
4,356,364	10/1982	Soto	.	
4,358,750	11/1982	Webster	.	
4,359,717	11/1982	Huber et al.	.	
4,370,875	2/1983	Piironen	.....	70/422
4,444,030	4/1984	Dausch	.....	70/209
4,466,044	8/1984	Fey	.....	70/237 X
4,495,484	1/1985	Kawakatsu et al.	.	
4,663,611	5/1987	Humphrey	.	
4,679,420	7/1987	Yang	.....	70/422
4,738,127	4/1988	Johnson	.....	70/209
4,750,341	6/1988	Laguna	.....	70/209
4,829,797	5/1989	Wu	.....	70/209
4,833,442	5/1989	Von Heck	.....	70/226 X

**OTHER PUBLICATIONS**

Lockjaw Steering Wheel Lock brochure, Hull Enterprises, Inc., South Euclid, Ohio (no date).

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Brian N. Vinson  
*Attorney, Agent, or Firm*—Wood, Herron & Evans



[57]

**CLAIM**

The ornamental design for a combined steering wheel-attached lock and alarm for alternative use as a vertically-positioned visual warning light for placement in a roadway, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a combined steer-

ing wheel-attached lock and alarm for alternative use as a vertically-positioned visual warning light for placement in a roadway showing my new design;  
FIG. 2 is a left side elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a bottom plan view thereof; and  
FIG. 6 is a top plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6