

[54] CAMERA

[75] Inventors: Hiroshi Kobayashi, Kawasaki;
Yasuki Nagaoka, Ohmiya, both of
Japan
[73] Assignee: Nikon Corporation, Tokyo, Japan
[**] Term: 14 Years
[21] Appl. No.: 225,945
[22] Filed: Jul. 29, 1988

[30] Foreign Application Priority Data

Mar. 1, 1988 [JP] Japan 63-8420
[52] U.S. Cl. D16/209; D16/217
[58] Field of Search D16/200, 201, 208, 209,
D16/216-218; 354/126, 127.11, 149.11, 187,
202, 219, 288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 296,110 6/1988 Suyama et al. D16/209
D. 296,111 6/1988 Suyama D16/209
D. 305,665 1/1990 Suyama D16/209
D. 305,770 1/1990 Akabane D16/209
4,219,265 8/1980 Waaske 354/187

OTHER PUBLICATIONS

35 mm Photography, 2/1986, p. 4 (Fuji TW-300).
Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Shapiro and Shapiro

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and left side perspective view of a camera showing our new design, with the lens in a partially projected position and with the lens cover in an open position;
FIG. 2 is a top, front, and left side perspective view thereof, with the lens in a further projected position and with the lens cover in an open position;
FIG. 3 is a front elevational view thereof, with the lens in a retracted position and with the lens cover in a closed position;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a left side elevational view thereof;
FIG. 8 is a rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

