

[54] MULTI-PIN SOCKET

[75] Inventor: Yasuji Shibano, Izumisano, Japan

[73] Assignee: Hosiden Electronics Co., Ltd., Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 296,656

[22] Filed: Jan. 13, 1989

[52] U.S. Cl. D13/147

[58] Field of Search D13/133, 146, 147; 439/56, 95, 460, 595, 598, 617, 677, 680, 687

[56] References Cited

U.S. PATENT DOCUMENTS

D. 286,281	10/1986	Sekiguchi	D13/146
D. 298,312	11/1988	Sekiguchi	D13/147
D. 306,010	2/1990	Komatsu	D13/147
4,637,669	1/1987	Tajima	439/95

4,703,394	10/1987	Petit et al.	439/65 X
4,806,123	2/1989	Konishi et al.	439/595
4,810,210	3/1989	Komatsu	439/610

Primary Examiner—Susan J. Lucas
Assistant Examiner—J. Sincavage
Attorney, Agent, or Firm—Pollock, Vande Sande and Priddy

[57] CLAIM

The ornamental design for a multi-pin socket, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a multi-pin socket showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

