

[54] **OPTICAL INTERFACE FOR BAR CODE READER**

[75] Inventor: Mitsuo Yokoi, Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 334,120

[22] Filed: Apr. 5, 1989

[52] U.S. Cl. .... D14/107; D14/114

[58] Field of Search ..... D14/100, 105, 107, 114, D14/116; D13/184, 199; 235/375, 378, 379, 435, 381-385, 454, 462, 463, 467, 470, 472, 475, 483, 486; 382/58-63; 250/203.1, 216, 566, 568; 354/80-82; 358/408, 473, 474, 497; 355/75, 200, 218, 230, 231, 233; 248/671, 672, 678, 680, 681, 139; D18/3, 4

4,550,246 10/1985 Markman ..... 235/385  
 4,736,096 4/1988 Ushikubo ..... 235/472  
 4,797,540 1/1989 Kimizu ..... 235/379 X  
 4,825,058 4/1989 Poland ..... 235/383 X  
 4,859,839 8/1989 Tetelman et al. .... 235/383 X

Primary Examiner—Wallace R. Burke  
 Assistant Examiner—Freda S. Nunn  
 Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM


The ornamental design for an optical interface for bar code reader, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of an optical interface for bar code reader showing my new design;  
 FIG. 2 is a top plan view thereof;  
 FIG. 3 is a bottom plan view thereof;  
 FIG. 4 is a front elevational view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a right side elevational view thereof; and  
 FIG. 7 is a left side elevational view thereof.

[56] **References Cited**  
 U.S. PATENT DOCUMENTS  
 D. 276,442 11/1984 Holland ..... D18/3







**FIG\_1**




**FIG\_2**




**FIG\_3**




**FIG\_4**



**FIG\_5**



**FIG\_6**



**FIG\_7**