

[54] **ELECTRIC CLOCK**

[75] **Inventor: Maarten W. van Lelyveld, Drachten, Netherlands**

[73] **Assignee: U.S. Philips Corporation, New York, N.Y.**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 206,160**

[22] **Filed: Jun. 9, 1988**

[30] **Foreign Application Priority Data**

Dec. 24, 1987 [GB] United Kingdom ..... 1047403

[52] **U.S. Cl. .... D10/18; D10/15; D10/28**

[58] **Field of Search .... D10/1-39, D10/122-132; 368/316-317, 276-277, 280-282, 285**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 165,357 12/1951 Babel ..... D10/26
- D. 301,309 5/1989 Houlihan ..... D10/18 X
- D. 301,839 6/1989 Houlihan ..... D10/15

D. 302,129 7/1989 Suzuki ..... D10/28

**FOREIGN PATENT DOCUMENTS**

678308 3/1930 France ..... 368/316

**OTHER PUBLICATIONS**

*Housewares*—8/88—p. 22—clock at top-right.

*Primary Examiner*—Nelson C. Holtje


*Attorney, Agent, or Firm*—Jack E. Haken


[57] **CLAIM**

The ornamental design for an electric clock, as shown and described.


**DESCRIPTION**

FIG. 1 is a front and left side perspective view of an electric clock showing my new design in open position; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; and FIG. 8 is a front and left side perspective view thereof in a closed position.







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**