

[54] COMBINED SHOE SHINE CASE AND PAD

[75] Inventors: Douglas W. Baker, Cincinnati, Ohio;
Barry Brinker, Covington, Ky.

[73] Assignee: 'totes', Incorporated, Loveland, Ohio

[**] Term: 14 Years

[21] Appl. No.: 189,532

[22] Filed: May 3, 1988

[52] U.S. Cl. D3/30.5

[58] Field of Search D3/30.1, 30.5; 15/104,
15/258, 259, 265; 206/37, 38, 225, 278

[56] References Cited

U.S. PATENT DOCUMENTS

D. 287,906	1/1987	Tsuji et al.	D3/30.1
1,611,672	12/1926	Platt	15/258
1,671,828	5/1928	Kowalski	15/258
2,193,314	3/1940	Deems	15/258
2,314,943	3/1943	Jensen	206/557
2,705,811	4/1955	Moran	15/258

Primary Examiner—A. Hugo Word

Assistant Examiner—Doris Clark
Attorney, Agent, or Firm—Wood, Herron & Evans

[57] CLAIM

The ornamental design for a combined shoe shine case and pad, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a combined shoe shine case and pad showing our new design, the case being closed with the pad enclosed therein;

FIG. 2 is a right end elevational view thereof;

FIG. 3 is a side elevational view, the opposite side being a mirror image thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left end elevational view thereof;


FIG. 6 is a top plan view thereof, the case being opened and with the pad exposed;

FIG. 7 is a side elevational view, the opposite side being a mirror image thereof;

FIG. 8 is a right elevational view thereof;

FIG. 9 is a left end elevational view thereof; and

FIG. 10 is a bottom plan view thereof.






FIG. 1




FIG. 4



FIG. 2



FIG. 5



FIG. 3




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10