

[54] **COMBINED BOTTLE AND CAP**  
 [75] Inventor: Yukihide Umetsu, Tokyo, Japan  
 [73] Assignees: Mitsubishi Plastics Industries Limited, Tokyo; Kikkoman Corporation, Noda, both of Japan  
 [\*\*] Term: 14 Years  
 [21] Appl. No.: 186,218  
 [22] Filed: Apr. 26, 1988

[30] Foreign Application Priority Data

Apr. 17, 1986 [JP] Japan ..... 61-14295  
 [52] U.S. Cl. .... D9/378; D9/397; D9/453  
 [58] Field of Search ..... D9/378, 390-399, D9/367, 376, 350, 351, 383, 453; 215/1 R, 1 C

[56] References Cited

U.S. PATENT DOCUMENTS

D. 201,212 5/1965 Bailey ..... D9/378  
 D. 242,017 10/1976 Reynolds ..... D9/399  
 D. 269,500 6/1983 Bit ..... D9/350  
 4,082,200 4/1978 Guest et al. .... 215/1 C

FOREIGN PATENT DOCUMENTS

2025889 1/1980 United Kingdom ..... 215/1 C

OTHER PUBLICATIONS

Packaging, Jul. 1986, p. 49, Bottle in center of photo.


Primary Examiner—Melvin B. Pfeifer  
 Assistant Examiner—Lucy Lieberman  
 Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt



[57] CLAIM

The ornamental design for a combined bottle and cap, as shown and described.


DESCRIPTION

FIG. 1 is a front elevation of a combined bottle and cap showing my new design;  
 FIG. 2 is a right side elevation, the left side is a mirror image thereof;  
 FIG. 3 is a rear elevation thereof;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is a bottom plan view thereof.  
 FIG. 6 is a cross-sectional view taken on line A—A of FIG. 1;  
 FIG. 7 is a cross-sectional view taken on line B—B of FIG. 1;  
 FIG. 8 is a left side perspective view of a second embodiment of the combined bottle and cap;  
 FIG. 9 is a front elevation of the second embodiment;  
 FIG. 10 is a right side elevation of the second embodiment;  
 FIG. 11 is a rear elevation of the second embodiment;  
 FIG. 12 is a top plan view of the second embodiment;  
 FIG. 13 is a bottom plan view of the second embodiment; and  
 FIG. 14 is a top front perspective view of the second embodiment.







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 6**




**FIG. 4**




**FIG. 5**




**FIG. 7**




**FIG. 8**




**FIG. 9**




**FIG. 10**



**FIG. 11**




**FIG. 12**



**FIG. 13**





**FIG. 14**

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D318,229  
DATED : July 16, 1991  
INVENTOR(S) : Yukihide Umetsu

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, please delete the following:

--[30] Foreign Application Priority Data  
Apr. 17, 1986 [JP] Japan ..... 61-14295--.

Signed and Sealed this  
Fifth Day of January, 1993

*Attest:*

DOUGLAS B. COMER

*Attesting Officer*

*Acting Commissioner of Patents and Trademarks*